

AMENDED
APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 04 1988
Returned to applicant for correction MAY 23 1988
Corrected application filed MAY 23 1988
Map filed MAY 23 1988

The applicant Eisenhower Medical Center
39000 Bob Hope Drive, of Rancho Mirage,
Street and No. or P.O. Box No. City or Town
CA., 92270, hereby make S application for permission to appropriate the public
State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.)

1. The source of the proposed appropriation is Grand Trunk Spring
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 0.5 CFS second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet
3. The water to be used for Stockwatering and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered 1000 head cattle
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point in the SE1/4 SE1/4 Section 30,
T. 33 N., R. 39 E., M.D.B. &M., or at a point from Describe as being within a 40-acre subdivision of public
which the SW corner of Section 31, T. 33 N., R. 39 E., M.D.B. &M. bears S. 35°
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
43' W. a distance of 7115 feet.
6. Place of use Section 35, T. 33 N., R. 38 E., M.D.B. &M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) pipe line to place of use, construct
State manner in which water is to be diverted, i.e. diversion structure, ditches and
watering tanks for stock.
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$50,000.

10. Estimated time required to construct works... 3 years.....
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use... 4 years.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Compared... bk/se cl/cmg
 By... s/Ernest E. Muller
 Ernest E. Muller, Sr., SWRS 702
 750 W. Pueblo St., Reno, NV., 89509
 Protested... 7/5/88 by Bureau of Land Management-Winnemucca District
 Pro. Overruled
1/17/96; Ruling APPROVAL OF STATE ENGINEER
 No. 4285

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the period of use and the average number of livestock served from the waters of this source. The State retains the right to regulate the use of the water herein granted at any and all times but does not take responsibility for the use of the Federal range.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is subject to the condition that the permittee must ensure that wildlife which have customarily used such water will have access thereto, NRS 533.367.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued subject to State Engineer's Ruling No. 4285 dated January 17, 1996.

This permit is issued for stockwatering use only.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed... 0.0312 cubic feet per second... , or sufficient to water 1,000 head of cattle.

Work must be prosecuted with reasonable diligence and be completed on or before... April 25, 1998

Proof of completion of work shall be filed on or before... May 25, 1998

Application of water to beneficial use shall be made on or before... April 25, 2001

Proof of the application of water to beneficial use shall be filed on or before... May 25, 2001

Map in support of proof of beneficial use shall be filed on or before... N/A

Completion of work filed... IN TESTIMONY WHEREOF, I... R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed... office, this... 25th day of... April

Certificate No. Issued... A.D. 19... 96

State Engineer